Mosquito management plan: Template and information guide

A planning and information tool to assist you with developing an integrated mosquito management plan to manage your risk of Japanese encephalitis. An integrated approach includes monitoring, environmental (non-chemical) and, depending on your production system, chemical controls.

The template seeks to guide best practice mosquito management and planning of all herd sizes and production systems.

This guide provides:

- · Reasoning for implementing mosquito management activity, and
- A description of list of activities, documents or processes that could be followed to adequately meet the requirements for a mosquito management plan.

This list of activities, documents, and processes have been developed in collaboration with the pork industry, pig producers, and pig veterinary specialists.

This plan and actions form part of your biosecurity management plan and includes:



Monitoring for mosquito eggs, larva and adults



Responding: chemical controls



Management: non-chemical controls



If you notice unusual disease symptoms, abnormal behaviour, unexpected deaths or suspect an emergency animal disease in your pigs, immediately call your veterinarian, stock inspector or the **Emergency Animal Disease Watch Hotline** on **1800 675 888.**



Do yo	u	Y	N	N/A	Detail your management practices – What DO YOU DO or if not doing it, what MIGHT YOU DO?	
Mosqu	Mosquito monitoring, management and control planning					
1	Monitor the presence and concentration of mosquitoes in and around piggery areas Example template				 I/we do this by: Visually inspecting water bodies (including storage containers, effluent ponds, dams, pooled water, troughs, wallows, etc) for presence of wrigglers Visually inspecting pigs and facilities at dusk and dawn for resting adult mosquitoes (e.g. ceilings, walls, pig huts and shelters) Engaging a professional to assist monitoring Trapping Other – describe 	
2	Manage mosquitoes using non-chemical measures? Refer to <u>Controlling mosquitoes</u> <u>around piggeries</u>				 I/we do non-chemical vector control by: Removing anything in the open that is filled with water or has the potential to hold water Filling potholes or other areas around the piggery that collect water Ensuring gutters, downpipes, and drains around buildings are free of debris and trimming overhanging branches Ensuring effluent drainage is free flowing, flushed regularly and does not pool Ensuring all tanks, wells or other large water containers are sealed, or screened with 1mm mesh Reducing vegetation around the piggery Other – describe 	

Do yo	Do you		N	N/A	Detail your management practices – What DO YOU DO or if not doing it, what MIGHT YOU DO?
3	Control mosquitoes using chemical control (when and where required)? Refer to <u>Controlling mosquitoes</u> <u>around piggeries</u> <u>Example records template</u>				 When using chemical controls for mosquitoes I/we: Only apply chemicals that are registered for use on pigs - to pigs, pig feed, surfaces that pigs may contact Only use chemicals approved for use against mosquitoes and strictly follow the directions for use on the label Ensure chemical use for mosquito control is conducted by people authorised to use chemicals Apply chemical control to water sources, the outside of sheds and buildings, effluent ponds, staff facilities and pigs Restrict chemical use only to areas required to be treated Keep records of all pest control activities Other – describe
					I/we: Apply chemicals to kill mosquito larvae (larvicide) The larvicide I/we (or our pest controller) use is:
					I/we apply it to the following areas: The frequency that I/we apply larvicide/s is:
					Apply residual chemical(s) to kill adult mosquitoes (adulticide) The residual adulticide(s) I/we (or our pest controller) use is:
					I/we apply adulticide(s) to the following areas:
					The frequency that I apply these chemical/s is:

Do you		Y	N	N/A	Detail your management practices – What DO YOU DO or if not doing it, what MIGHT YOU DO?
3	Control mosquitoes using				Fog with a chemical to kill adult mosquitoes
	chemical control (when and where required)?				The chemical I/we (or our pest controller) fog with is:
	Refer to <u>Controlling mosquitoes</u> <u>around piggeries</u> <u>Example records template</u>				I/we fog in the following areas:
					The frequency that I/we fog these areas is:
					Apply chemicals directly to pigs The chemical/s I/we apply directly to pigs are:
					The frequency that I/we apply these chemical/s is:
4	Ensure farm workers, family members and property residents are aware of the availability of Japanese encephalitis virus (JEV) vaccine, symptoms of Japanese encephalitis and how they can protect themselves from infection.				 I/we do this by: Informing all workers, family members, property residents and regular contractors about the symptoms of JE in humans Directing workers, family members and property residents to information and clinics for JE vaccination Providing or encouraging the use of appropriate clothing and repellent use by workers, family members, property residents and regular contractors to protect themselves against mosquitoes (e.g., long-sleeved, loose fitting clothing, insect repellent) Other – describe

My top 3 mosquito management priorities to work on are:

1.	
2.	
3.	

Next plan review date:

Plans should be reviewed at least every 12 months

Optional: Veterinary authorisation

Veterinarian name, state and registration number:

Date: ______Signature: _____

Guidance - Mosquito monitoring, management and control planning

Do you

The following three (3) measures relate to mosquito management.

In early 2022, Japanese encephalitis, a mosquito-borne viral disease that affects pigs, was detected in Queensland, New South Wales, Victoria and South Australia. Japanese encephalitis (JE) is a zoonotic disease that affects both pigs and people. Ongoing management of mosquitoes in and around piggery areas is important in reducing impact to production and human health (staff, farm visitors, families and farm residents).

1	Monitor the presence and concentration of	Explain how you monitor mosquito presence on your farm. This may include the following examples:						
	mosquitoes in and around piggery areas	Visual assessments of water bodies						
		 Engaging a professional Implementing mosquito traps Refer to the Pest animal, insect and rodent monitoring and control record template 						
2	Manage mosquitoes using non-chemical measures?	Refer to the Farm Biosecurity's webpage on <u>Controlling mosquitoes around piggeries</u> for:						
		Guide on Integrated mosquito management principles in piggeries						
		 Factsheet on <u>Controlling mosquitoes around piggeries</u> 						
		Explain how you manage mosquitoes using non-chemical controls on your farm						
		Reduce mosquito breeding on your property by:						
		 Removing anything in the open that is filled with water or has the potential to hold water 						
		 Filling potholes or other areas around the piggery that collect water 						
		 Ensure troughs are regularly cleaned by removing stale water, scrubbing with a stiff- bristled brush, and refilling with fresh water 						
		 Ensuring gutters, downpipes, and drains around buildings are free of debris that creates pooling water, and trimming overhanging branches 						
		 Ensuring effluent drainage is free flowing, flushed regularly and does not pool 						
		 Ensuring all tanks, wells or other large water containers are sealed, or screened with 1mm mesh 						
		• Reducing vegetation around the piggery will minimise areas where adult mosquitoes can rest						
		• Ensure all windows and doors on staff facilities are covered by well-maintained mosquito proof screens (where appropriate)						
3	Control mosquitoes using	Refer to the Farm Biosecurity's webpage on <u>Controlling mosquitoes around piggeries</u> for:						
	chemical control (when and where required)?	Guide on Integrated mosquito management principles in piggeries						
		Factsheet on Controlling mosquitoes around piggeries						
	<u>Example records</u> <u>template</u>	Explain how you manage mosquitoes using chemical controls on your farm.						
		NOTE:						
		Chemical residues in pork are a trade and food quality risk						
		 Only apply chemicals that are registered for use on pigs to pigs, pig feed, surfaces pigs may contact, or in a way that might result in chemical drifting onto pigs 						
		• Only use chemicals approved for use against mosquitoes and strictly follow the directions for use on the label						
		 Chemical use for mosquito control should be conducted by people authorised to use chemicals in accordance with state/territory training and licensing requirements. Preferably use a licensed pest control operator. 						
		Seek professional advice if you are unsure about how to use a chemical						
		• Approved chemical control can be applied to water sources, effluent ponds, the outside of sheds and buildings, staff facilities and pigs						
		Restrict chemical use to areas required to be treated						
		Keep records of all pest control activities						
		• Be aware that misuse of chemicals can create environmental risks to bees, wildlife and aquatic life						

Some diseases, such as JE can be transferred from mosquitoes to pigs and back to mosquitoes and from mosquitoes to people.

4 Ensure farm workers, family members and property residents are aware of the availability of Japanese encephalitis virus (JEV) vaccine, symptoms of Japanese encephalitis and how they can protect themselves from infection.



To mitigate the risk of you, your staff or property residents or regular contractors being exposed to the Japanese encephalitis virus, consider having a farm policy that:

- informs staff about the risks and signs of JEV in both people and pigs
- recommend JEV vaccination, including how to arrange vaccinations
- outlines the appropriate clothing and repellent use to protect against mosquito bites, and
- provides insect repellant.